

MODEL NUMBER	NUMBER OF ROTATING DISCS	TORQUE LB.FT.	THERMAL CAPACITY HPS./MIN.	INERTIA OF ROTATING PARTS LB.FT ^{2}	MAGNET AIR GAP		DIMENSIONS					COVER MATERIAL	BRACKET MATERIAL
					ORIGINAL SETTING	MAXIMUM	X	G	AC	C	N		
2-61001-524	1	1.5	6	.006	.045/.050	.100	.88	1.19	.59	4.13	1.13	STAMPED STEEL	ALUMINUM
2-61003-524	1	3	6	.006	.045/.050	.100	.88	1.19	.59	4.13	1.13	STAMPED STEEL	ALUMINUM
2-61006-524	1	6	6	.006	.045/.050	.100	.88	1.19	.59	4.13	1.13	STAMPED STEEL	ALUMINUM
2-62006-524	2	6	6	.010	.050/.055	.100	.88	1.19	.59	4.13	1.13	STAMPED STEEL	ALUMINUM
2-62010-524	2	10	6	.010	.050/.055	.100	.88	1.19	.59	4.13	1.13	STAMPED STEEL	ALUMINUM
2-63010-524	3	10	6	.015	.060/.065	.100	1.19	1.56	.96	4.50	1.44	STAMPED STEEL	ALUMINUM
2-63015-524	3	15	6	.015	.060/.065	.100	1.19	1.56	.96	4.50	1.44	STAMPED STEEL	ALUMINUM
2-63020-524	3	20	6	.015	.060/.065	.100	1.19	1.56	.96	4.50	1.44	STAMPED STEEL	ALUMINUM
2-64025-524	4	25	6	.020	.060/.065	.100	1.34	2.25	1.56	5.19	2.00	STAMPED STEEL	CAST IRON



*SEE BULLETIN BK4655 FOR OPERATING, INSTALLATION AND PARTS INSTRUCTIONS

THIS MATERIAL IS PROPERTY OF DINGS COMPANY. NO RIGHTS ARE GRANTED TO USE SUCH MATERIAL FOR ANY PURPOSE OTHER THAN (1) PRODUCT EVALUATION OR MAINTENANCE OR (2) THE FURNISHING OF SERVICES AND SUPPLIES TO THE DINGS COMPANY.

REV	CHG#	DATE	BY	REVISION
C	2226	6-10-05	JEH	UPDATED DRAWING
B	1999	7-3-00	SDH	ADDED SPRING LENGTH & 2 MODEL #'S
A	1768	7/17/98	RM	ADDED AIR GAP TO TABLE

TITLE: OUTLINE DRAWING FOR 60 SERIES ENDMOUNT BRAKE NEMA 2 ENCLOSURE (S6524)

TOLERANCE UNLESS OTHERWISE NOTED .XXX ± .005 FRACTIONS ± .XXX .XX ± .010 ANGLES ± 1°

DRN BY: DANE H. | CHKD BY:

DATE: 1-10-03 | BRAKE: FULL

REFER TO CAD FILE: L060280

Dings DYNAMICS
4740 WEST ELECTRIC AVE.
MILWAUKEE, WISCONSIN 53219 U.S.A.

DRAWING NO. L060280 | SHEET 2 OF 3 | REV. NO. C