


MODEL NUMBER		NUMBER OF ROTATING DISCS	TORQUE LB.FT.	THERMAL CAPACITY HPS/MIN.	INERTIA OF ROTATING PARTS LB.FT. ²	MAGNET AIR GAP		DIMENSIONS*					BRACKET MATERIAL	COVER MATERIAL
WITHOUT HUB SEAL	WITH HUB SEAL "TEFC" MOUNTING					ORIGINAL SETTING	MAXIMUM	C*	AC*	G*	X	N [±] 1/32		
6-61001-5141	6-61001-5140	1	1.5	6	.006	.045/.050	.100	4.81	.94	1.63	.88	1.59	316 STAINLESS STEEL	316 STAINLESS STEEL
6-61003-5141	6-61003-5140	1	3	6	.006	.045/.050	.100	4.81	.94	1.63	.88	1.59	316 STAINLESS STEEL	316 STAINLESS STEEL
6-62006-5141	6-62006-5140	2	6	6	.011	.050/.055	.100	4.81	.94	1.63	.88	1.59	316 STAINLESS STEEL	316 STAINLESS STEEL
6-62010-5141	6-62010-5140	2	10	6	.011	.050/.055	.100	4.81	.94	1.63	.88	1.59	316 STAINLESS STEEL	316 STAINLESS STEEL
6-63015-5141	6-63015-5140	3	15	6	.017	.060/.065	.100	5.13	1.25	1.94	1.19	1.90	316 STAINLESS STEEL	316 STAINLESS STEEL
6-63020-5141	6-63020-5140	3	20	6	.017	.060/.065	.100	5.13	1.25	1.94	1.19	1.90	316 STAINLESS STEEL	316 STAINLESS STEEL
6-64025-5141	6-64025-5140	4	25	6	.022	.060/.065	.100	5.44	1.56	2.25	1.34	2.05	316 STAINLESS STEEL	316 STAINLESS STEEL

*NOTE: WHEN APPLICABLE, TABLE DIMENSIONS ARE REFERENCED FROM THE BRAKE MOUNTING FACE AND DO NOT INCLUDE THE GASKET THICKNESS.



*SEE BULLETIN BK4661 FOR OPERATING, INSTALLATION AND PARTS INSTRUCTIONS

THIS MATERIAL IS PROPERTY OF DUNLOP COMPANY. NO RIGHTS ARE GRANTED TO USE SUCH MATERIAL FOR ANY PURPOSE OTHER THAN (1) PRODUCT EVALUATION OR MAINTENANCE OR (2) THE FURNISHING OF SERVICES AND SUPPLIES TO THE DUNLOP COMPANY.

THIS OUTLINE DRAWING, STAINLESS STEEL ENDMOUNT BRAKE, S65140 & S65141 ONLY

TOLERANCE UNLESS OTHERWISE NOTED		DUNLOP DYNAMICS	
FINISH	FRACTION 2 -		
FINISH	FRACTION 2 -		
DESIGNED BY	DATE	REVISED BY	DATE
4-20-08	FULL		
DWG FILE L060411		REV. 10	

2383	0-20-07	JEV	INTERNAL WIRE HOLE WAS OPTIONAL
A	2200	4-13-07	CORRECTED "Y" DIMENSION IN CHART
REV	CHG	DATE	BY
			REVISION

L060411